



GROUP COMPANY...

GYPLIME
GYPSUM BOARDS

EXCEL
BEYOND BOUNDARIES

EXCEL CERAMIC PVT. LTD.

📍 Morbi-Wankaner Highway,
At. Makansar-363 642. (Guj.) INDIA.

☎ +91 98797 76076

✉ info@excelceramic.com

🌐 www.excelceramic.com

EXPORT :-

☎ +91 95126 20000

✉ chirag@excelceramic.com

DOMESTIC :-

☎ +91 99258 20000

✉ rishi@excelceramic.com

Follow us on:



EXCEL
BEYOND BOUNDARIES



EXPLORE NEW SCOPES


800X1600MM

www.excelceramic.com




THE Company

Adding to the design strength that EXCEL Has acquired, it is strongly concentrates on customer satisfaction.



In the region where you find plethora of tile manufacturers , some stand out as clear leaders and initiators of style and quality of vitrified tiles. Excel Tiles belong to the group that Leads , innovates and creates products that inspires customer as well as competitors. With a zeal to be one of the best in the industry, they strive to produce the excellent quality and mind boggling products that are truly market disrupters. With more than 8 years in the business the company has attained brand recognition of high repute in India and the world.

FREEDOM TO
Design
YOUR SPACE



FEEL AND EXPLORE


NATURAL

FEELING SURROUND YOU



High Glass

PUT A SPOTLIGHT ON YOUR RAVISHING
AMBIANCES WITH OUR GLARE-FREE CREATIONS





ARMANI VERDE 04



ARMANI BROWN 04



AUSTIN BLUE 03



SPARKLE NATURAL 03



BLACK MARTIN 03



BLACK PANDA 04



PREVIEW OF: SPARKLE NATURAL

SIZE
800X1600MM

FINISH
High Gloss



random
aleatorio






floor tiles
pavimento / revestimento




use 3mm space
usare lo spazio 3mm

SIZE
800X1600MM

FINISH
High Gloss




PREVIEW OF : ROSSO BROWN




KENYA NERO

04



BLUE VINCI

04



ROSSO BROWN

04



BRATVI BLACK

03



BRATVI WHITE

03



BROSS GOLD

03

The colours shown in this catalogue are for guidance only.



CELLOSIA BLUE 03



CARACUS BLACK 04




PIED ONIX 03



ELITE NERO 03



ELITE NATURAL 03



PORTROW BLACK 03



SIZE
800X1600MM


FINISH
High Gloss




random
alluvione



floor tiles
pavimenti / rivestimenti



use 3mm space
usare lo spazio 3mm



EMERALD 04



EMPERADOR CHOCO 02



EMPERADOR COFFEE 03



MARBELA CHOCO 03



MARBELA BLUE 03



BRECCIA AURORA 03



URBAN WHITE 04



WHITE RIVERA 03




BLACK RIVERA 03



TERIX BLACK 03



THUNDER BLACK 03



THUNDER BROWN 03

SIZE
800X1600MM

FINISH
High Gloss

random
disposizione

floor tiles
pavimenti / rivestimenti

use 3mm space
usare lo spazio 3mm




PREVIEW OF : ONYX SMOKE



ONICE

04



ONYX BLUE

03



ONYX SMOKE

03



The colours shown in this catalogue are for guidance only



FLORENCE BROWN

03

*A blend of Shades.
with sparkling finish.*



Glossy

EXPERIENCE GLOSSY GLORY
WITH THESE EXHILARATING DESIGNS



STATUARIO CAFE 03



STATUARIO GLACIAR 04



STATUARIO SILK 03



CRYSTAL STATUARIO 03




BRILLIANT STATUARIO 04



VENTO STATUARIO 04



ARBESCATO WHITE 04



RIGATO BROWN 03



RIGATO WHITE 03



SEGESTA BROWN 04



SEGESTA WHITE 04



SONATA WHITE 04



ALEX WHITE 04



TELTOS BIANCO 03



MARBITA WHITE 03



ALBASTRO TUSK 04



ALBASTRO NATURAL 04



BIANCO CARRARA 03



MARK BIANCO 04



ASTRA BEIGE 04



ASTRA BLANC 04



BOTTICINO VALENCIA 04



BOTTICINO CLASSIC 03



BOTTICINO ROYALE 03



BRECCIA CLASSIC 04



BRECCIA GOLD 03



BRECCIA SAND 03



BRECCIA SMOOTH 03



GRYES 03



GRYES IVORY 04



BULLBERRY CHOCO 04



BULLBERRY GREY 04



BULLBERRY GRIS 04



BULLBERRY BEIGE 03



GEMAS AMBER 03



GEMAS OXFORD 03



DYNA COLLIN 03



DYNA HONEY 02



DYNA LIGHT 04



DYNA DELICATE 02



DYNA DELIGHT 04



DYNA ELITE 04



DYNA MOSH 03



DYNA WALNUT 03



DYNA MARINO 03



CERRIBEAN BEIGE 03



CERRIBEAN BROWN 03



CERRIBEAN GREY 03



FLORENCE GREY 04



FLORENCE STEEL 03



SARAN GREY 03



ALASKA GOLD 04



ALASKA SILVER 04



SARAN BEIGE 03



HEXA GREY 03



HELIX FENTA 04



HELIX GREY 04



HEXA IVORY 03




EMPERADOR NATURAL 04



BROSS CHOCO 03




PREVIEW OF: MAKARANI WHITE



LIZA BEIGE

03



LIZA GREY

03



GALAXY BLACK

03



MAKARANI WHITE

04



MAKARANI BEIGE

04



DAHINO DELIA

03



MARBO BLANC 03



MARBO IVORY 03



MARBO TUSK 03



MARFIL CREMA 04



MARFIL GOLD 04




MARK BEIGE 04



ARMANI BIANCO 04



ARMANI GREY 04



ARMANO BEIGE 04



ARMANO CREMA 04



ARMANO GREY 04



ARMANO GRIS 04



ONYX BIANCO 04



ONYX BROWN 03



ONYX ELITE 03



ONYX INFERNO 04



ONYX JADE 04



ONYX SHAPPHIRE 03



SIZE
800X1600MM


FINISH
Glossy



random
alluvione



floor tiles
pavimenti / rivestimenti



use 3mm space
usare lo spazio 3mm



MORRIS GREY 04



MOSIC CREMA 04



MOSIC MINT 04



OPTICAL BOTTICINO 03



OTTOMAN 04




TRAVA NATURAL 02



PULPIS BEIGE 02



PULPIS LIGHT 02



STARK CREMA 03



SALANCA BEIGE 04



TRAVO GRIS 04



TRAVO SAND 04



TREX GREY

04




TREX CREMA

04



PREVIEW OF : TREX CREMA



STATUARIO VENETIAN

A

B



CARMEL CEMAL

A

B

“ EXCEL GRANITO
IS THE TRUE TESTIMONY OF MODERN
ARCHITECTURE ”



Satin

A SMOOTH FINISH THAT FEELS LIKE HEAVEN
WITH A TOUCH OF DIVINITY



ASTRA BLANC 04



ASTRA GREY 04



CEMENTO BEIGE 03



CEMENTO GREY 03



CEMENTO WHITE 03




The colours shown in this catalogue are for guidance only.



SIZE
800X1600MM

FINISH
Satin



random
layout



floor tiles
pavimenti / revestimenti



use 3mm space
usare lo spazio 3mm



CUBIX BEIGE 04



CUBIX BIANCO 01



LECCI BROWN 03



LECCI GREY 03



MELT ASH 03



MELT GREY 03



GRANITE BEIGE 04




GRANITE BROWN 04



GRANITE CREMA 04



GRANITE GREY 04



GRANITE WHITE 04



MOZECO GREY 04



ROAST BEIGE 04



ROAST CREMA 04



ROAST GREY 04



MURANO BEIGE 04




MURANO GREY 04



SAHARA BEIGE 04




SAHARA BROWN 04



SAHARA GREY 04



SAHARA GRIS 04





SENSTO BEIGE 03



SENSTO BROWN 03



SENSTO GREY 03



SENSTO GRIS 03



TACO BRUNO 03




TACO CHARCOAL 03



PREVIEW OF : TACO BRUNO

SIZE
800X1600MM

FINISH
Satin



“THE
COLLECTION
BEYOND BEAUTY”



Rustic

ADD EXOTIC CHARM TO YOUR
SPACE WITH THIS EARTHY RUSTIC FINISH

SIZE
800X1600MM

FINISH
Rustic



random
layout



floor tiles
(pavimenti / piastrelle)



use 3mm space
(usare lo spazio 3mm)



PREVIEW OF : CAM WOOD BROWN



ANTICO BROWN

04



ANTICO FENTA

04



CAM WOOD BROWN

03



CAM WOOD TEAL

03



GRADINO BROWN

03



HARD ROCK

01

The colours shown in this catalogue are for guidance only.



CORTE BEIGE 04



CORTE BROWN 04



CORTE GREY 04



CORTE MINT 04



METRIX DECOR 01



LAMINA YELLOW 03



KINDER BEIGE 02



KINDER CREMA 02



KINDER WHITE 02



KINDER BLACK 02



QUIRO GREY 04



QUIRO WHITE 04



NAPOLEAN GRAFITO

03



NAPOLEAN BIANCO

03



NAPOLEAN BROWN

03



IMPERIA MINT

04



IMPERIA BEIGE

04



IMPERIA BROWN

04



PREVIEW OF : NAPOLEAN BROWN

SIZE
800X1600MM

FINISH
Rustic



random
alluvione



floor tiles
pavimenti / rivestimenti



use 3mm space
usare lo spazio 3mm



PIETRA BROWN 04



PIETRA GREY 04



PIETRA WHITE 04



STONIS BROWN 04



STONIS GRIS 04



STONIS RUST 04



ROYAL DECOR 01



TORONTO BEIGE 04



TORONTO GREY 04



TRAVA NATURAL 01



WALNUT DARK 03



WALNUT LIGHT 03

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-15006/EN14411 GROUP B1A	MEAN VALUE OF PGVT	MEAN VALUE OF GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

PACKING DETAILS

Size	Thickness (approx ^o)	Pieces / Box	Area / Box (approx ^o)		Weight / Box (approx ^o)
800X1600MM	9MM	2 pcs.	2.56 sq. mtr.	27.55 sq.ft.	54 kgs.
1200X1200MM	9MM	2 pcs.	2.88 sq. mtr.	31 sq.ft.	60 kgs.



OUR EXPORT IN COUNTRIES

